



SAFETY DATA SHEET

Borup Rense Benzin

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name:

Borup Rense Benzin

▼ *Product no.:*

153002050,153002080,153002150,153002175,153002210,156002080,156902050

▼ *REACH registration number:*

01-2119475515-33-xxxx

▼ *Other means of identification:*

Index No.: 649-328-00-1

EC No.: 927-510-4

CAS No.: 64742-49-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Stain removal, Cleaning. For catalyst furnaces.

Product code (A.I.S.E.):

AISE-P113 / Prespotter/Stain remover. Manual process.

AISE-P601 / Furniture care product. Manual process.

Use descriptors (REACH):

Sectors of use	Description
LCS "C"	Consumer uses: Private households (= general public = consumers)
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 0	Other products
PC 9a	Coatings and Paints, Fillers, Putties, Thinners
PC 13	Fuels
Process category	Description
PROC 19	Hand-mixing with intimate contact and only PPE available

▼ *EuPCS:*

PC-DET-2.5 / Pre-treatment stain removers

PC-FUE-5 / Fuel additives and fuel components

Uses advised against :

None known.

1.3. Details of the supplier of the safety data sheet



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Company and address:

Borup Kemi I/S
Bækgårdsvej 53
4140 Borup
Denmark
+45 5756 0020
www.borup-kemi.dk

E-mail:

MSDS@borup-kemi.dk

Revision:

27/06/2024

SDS Version:

2.0

Date of previous version:

13/07/2023 (1.0)

1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)
See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Flam. Liq. 2; H225, Highly flammable liquid and vapour.
Asp. Tox. 1; H304, May be fatal if swallowed and enters airways.
Skin Irrit. 2; H315, Causes skin irritation.
STOT SE 3; H336, May cause drowsiness or dizziness.
Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard pictogram(s):



Signal word:

Danger

Hazard statement(s):

Highly flammable liquid and vapour. (H225)
May be fatal if swallowed and enters airways. (H304)
Causes skin irritation. (H315)
May cause drowsiness or dizziness. (H336)
Toxic to aquatic life with long lasting effects. (H411)

Precautionary statement(s):

General:

Keep out of reach of children. (P102)

Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)



Take action to prevent static discharges. (P243)
Wear protective gloves. (P280)

▼ *Response:*

IF SWALLOWED: Immediately call a POISON CENTER/doctor. (P301+P310)

IF ON SKIN: Wash with plenty of water and soap. (P302+P352)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. (P304+P340)

Storage:

-

▼ *Disposal:*

Dispose of contents/container in accordance with local regulation
(P501)

Hazardous substances:

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Additional labelling:

Not applicable.

2.3. Other hazards

▼ *Additional warnings:*

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. ▼ Substances

Product/substance	Identifiers	% w/w	Classification	Note
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	CAS No.: 64742-49-0 EC No.: 927-510-4 REACH: 01-2119475515-33-xxxx Index No.: 649-328-00-1	95-100%	Flam. Liq. 1, H224 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Chronic 2, H411	[19]

3.2. Mixtures

Not applicable. This product is a substance.

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES



4.1. Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist.

Never give an unconscious person water or other drink.

Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact:

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.

Eye contact:

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

▼ *Ingestion:*

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should therefore be kept under medical attention for at least 48 hours.

Burns:

Rinse with water until pain stops then continue to rinse for 30 minutes.

4.2. Most important symptoms and effects, both acute and delayed

This product contains substances that can cause chemical pneumonia if swallowed. Symptoms of chemical pneumonia may appear after several hours.

4.3. ▼ Indication of any immediate medical attention and special treatment needed

See section 11 for more detailed information on health effects and symptoms.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Highly flammable liquid and vapour.

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.



SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. ▼ Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition if this can be done safely.
Ensure adequate ventilation.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. ▼ Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

Minor liquid spills are wiped up with a cloth.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. ▼ Precautions for safe handling

If necessary, establish waste collection trays/basins to prevent spillage into the surroundings.

Avoid direct contact with the product.

Smoking and the consumption of food and drink are not permitted in work rooms.

See the section "Exposure control/personal protective equipment" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Take action to prevent static discharges.

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

Recommended storage material:

Keep only in original packaging.

Fire class:

In accordance with the statutory order on flammable liquids the product is classified as a liquid of class I, subclass 1 (1 storage unit = 1 liter).

▼ *Storage conditions:*

Keep out of reach of children.

▼ *Incompatible materials:*

Do not mix with other chemicals

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	149 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	1377 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	300 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	13964 mg/kg bw/day
Long term – Local effects - General population	Inhalation	178.57 mg/m ³
Long term – Local effects - Workers	Inhalation	837.5 mg/m ³
Long term – Systemic effects - General population	Inhalation	410 µg/m ³
Long term – Systemic effects - General population	Inhalation	447 mg/m ³
Long term – Systemic effects - General population	Inhalation	1131 mg/m ³
Long term – Systemic effects - Workers	Inhalation	1.9 mg/m ³
Long term – Systemic effects - Workers	Inhalation	2085 mg/m ³
Long term – Systemic effects - Workers	Inhalation	5306 mg/m ³
Short term – Local effects - General population	Inhalation	640 mg/m ³
Short term – Local effects - Workers	Inhalation	1066.67 mg/m ³
Short term – Systemic effects - General population	Inhalation	1152 mg/m ³
Short term – Systemic effects - Workers	Inhalation	1286.4 mg/m ³
Long term – Systemic effects - General population	Oral	149 mg/kg bw/day
Long term – Systemic effects - General population	Oral	1301 mg/kg bw/day

PNEC

No data available.

8.2. ▼ Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

▼ *Exposure scenarios:*

Yes, is integrated in this safety data sheet.

Exposure limits:

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures:

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures:

Take off contaminated clothing and wash it before reuse.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Measures to avoid environmental exposure:

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

▼ *Generally:*

Use only CE marked protective equipment.

▼ *Respiratory Equipment:*

Type	Class	Colour	Standards	
In case of inadequate ventilation wear respiratory protection.	Type A	Brown	EN 14387	

Skin protection:

Recommended	Type/Category	Standards	
Wear a protective suit in the event of prolonged periods of work with the product.			

▼ *Hand protection:*

The choice of the correct glove depends not only on its material/thickness but also on other quality characteristics and differs from one manufacturer to another.

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,5	> 480	EN374-2, EN374-3, EN388	

▼ *Eye protection:*

Type	Standards	
At risk of splashing: use safety glasses with side shields.	EN 16321	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:

Liquid

Colour:

Colourless

Odour / Odour threshold:

Characteristic

▼ *pH:*

Not applicable

Density (g/cm³):



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

0.72 (15 °C)

Relative density:

0.72 (15 °C)

Kinematic viscosity:

0,6 mm²/s (25 °C)

Dynamic viscosity:

0,5-1,2 mPa.s (20 °C)

Particle characteristics:

Not applicable - product is a liquid

Phase changes

▼ *Melting point/Freezing point (°C):*

< -90

Softening point/range (°C):

Does not apply to liquids.

▼ *Boiling point (°C):*

93-105

Vapour pressure:

60 hPa (20 °C)

▼ *Relative vapour density:*

3,52

Decomposition temperature (°C):

No data available

Data on fire and explosion hazards

Flash point (°C):

-7

▼ *Flammability (°C):*

The material is ignitable.

▼ *Auto-ignition temperature (°C):*

246 - 260

▼ *Lower and upper explosion limit (% v/v):*

1 - 7.5

Solubility

Solubility in water:

Insoluble

n-octanol/water coefficient (LogKow):

No data available

Solubility in fat (g/L):

No data available

9.2. Other information

Evaporation rate (n-butylacetate = 100):

5

VOC (g/L):

100 %



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Other physical and chemical parameters:

No data available.

Molecular Weight (g/mol):

98

Oxidizing properties:

No data available

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Stable under the recommended storage conditions.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

No dangerous reactions are known under normal conditions of use.

10.4. Conditions to avoid

Avoid static electricity.

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

10.5. ▼ Incompatible materials

Do not mix with other chemicals

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼ Acute toxicity

Product/substance	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Species:	Rat
Route of exposure:	Oral
Test:	LC50
Result:	> 5840 mg/kgbw
Other information:	Supplier

Product/substance	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	> 2920 -3100 mg/kgbw
Other information:	Supplier

Product/substance	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Test method:	OECD 403
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	> 23,3 mg/L
Other information:	Supplier



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

▼ Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. ▼ Toxicity

Product/substance	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Test method:	OECD 203
Species:	Fish, <i>Oncorhynchus mykiss</i>
Duration:	96 hours
Test:	LL50
Result:	> 13,4 mg/L
Other information:	Supplier

Product/substance	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Species:	Algae, <i>Pseudokirchneriella subcapitata</i>
Duration:	72 hours
Test:	EL50
Result:	10-30 mg/L



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Other information: Supplier

Product/substance Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Species: Crustacean, Daphnia magna
Duration: 48 hours
Test: EL50
Result: 3 mg/L
Other information: Supplier

Product/substance Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Species: Algae, Pseudokirchneriella subcapitata
Duration: 72 hours
Test: NOELR
Result: 10 mg/L
Other information: Supplier

Toxic to aquatic life with long lasting effects.

12.2. ▼ Persistence and degradability

Product/substance Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Result: 98 %
Conclusion: Readily biodegradable
Test: OECD 301 F

12.3. Bioaccumulative potential

Not considered to be bioaccumulative.

12.4. Mobility in soil

No data available.

12.5. ▼ Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. ▼ Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. ▼ Waste treatment methods

Product is covered by the regulations on hazardous waste. (*)

HP 3 - Flammable

HP 4 - Irritant (skin irritation and eye damage)

HP 14 - Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

▼ EWC code:

20 01 13* Solvents

▼



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Waste group:
Gr. C Waste with high energy content

▼ Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1206	HEPTANES	Transport hazard class: 3 Label: 3 Classification code: F1  	II	Yes	Limited quantities: 1 L Tunnel restriction code: (D/E) See below for additional information.
IMDG	UN1206	HEPTANES	Transport hazard class: 3 Label: 3 Classification code: F1  	II	Yes	Limited quantities: 1 L EmS: F-E S-D See below for additional information.
IATA	UN1206	HEPTANES	Transport hazard class: 3 Label: 3 Classification code: F1  	II	Yes	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:

People under the age of 18 shall not be exposed to this product.

Demands for specific education:

No specific requirements.

SEVESO - Categories / dangerous substances:

P5c - FLAMMABLE LIQUIDS, Qualifying quantity (lower-tier): 5.000 tonnes / (upper-tier): 50.000 tonnes

E2 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 200 tonnes / (upper-tier): 500 tonnes

▼ *REACH, Annex XVII:*

Contains no substances subject to restrictions according to Annex XVII of REACH. Contains no substances on the REACH candidate list.

▼ *Additional information:*

Tactile warning.

If this product is sold in retail, it must be delivered with child-resistant fastening.

Nanomaterial: No

PFAS: No

▼ *Sources:*

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work. Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.

Executive Order no. 372 of 25 April 2016 on control of the risk of major accidents with dangerous substances.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

Yes

SECTION 16: OTHER INFORMATION



Full text of H-phrases as mentioned in section 3

- H224, Extremely flammable liquid and vapour.
- H304, May be fatal if swallowed and enters airways.
- H315, Causes skin irritation.
- H336, May cause drowsiness or dizziness.
- H411, Toxic to aquatic life with long lasting effects.

The full text of identified uses as mentioned in section 1

- LCS "C" = Consumer uses: Private households (= general public = consumers)
- LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- PROC 19 = Hand-mixing with intimate contact and only PPE available
- PC 0 = Other products
- PC 9a = Coatings and Paints, Fillers, Putties, Thinners
- PC 13 = Fuels

Abbreviations and acronyms

- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne (European conformity)
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EINECS = European Inventory of Existing Commercial chemical Substances
- ES = Exposure Scenario
- EUH statement = CLP-specific Hazard statement
- EuPCS = European Product Categorisation System
- EWC = European Waste Catalogue
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- GWP = Global warming potential
- IARC = International Agency for Research on Cancer (IARC)
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- OECD = Organisation for Economic Co-operation and Development
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
- RRN = REACH Registration Number
- SCL = A specific concentration limit
- SVHC = Substances of Very High Concern
- STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
- STOT-SE = Specific Target Organ Toxicity - Single Exposure



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The classification of the mixture in regard to physical hazards has been based on experimental data.

▼ The safety data sheet is validated by

BD, TSM

▼ Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en